L Number	Hits	Search Text	DB	Time stamp
1	1	6618029.pn.	USPAT	2003/12/01
2	2	wo-9631086-\$.did.	исръщ.	10:48
-		wo-9031000-3.did.	USPAT; EPO; JPO;	2003/12/01
	_		DERWENT	
3	2	wo-9903303-\$.did.	USPAT;	2003/12/01
			EPO; JPO; DERWENT	11:56
4	3	("5528602" or "3976864" or "5862150").pn.	USPAT	2003/12/01
5	894	345/211.ccls. or 345/698.ccls.	USPAT;	12:19 2003/12/01
			US-PGPUB	12:28
6	1835	713/300.ccls. or 713/320.ccls. or 713/321.ccls.	USPAT;	2003/12/01
7	3840		US-PGPUB USPAT;	12:29 2003/12/01
		713/321.ccls.) `	US-PGPUB	12:29
8	2702	(345/211.ccls. or 345/698.ccls.) or (713/300.ccls. or 713/320.ccls. or	USPAT; US-PGPUB	2003/12/01
		713/321.ccls.)	US-PGPUB	12:32
9	1836596	mode\$3 or format\$3	USPAT;	2003/12/01
10	1606	((345/211.ccls. or 345/698.ccls.) or	US-PGPUB USPAT	12:35
		(713/300.ccls. or 713/320.ccls. or		12:33
11	1836596	713/321.ccls.)) and (mode\$3 or format\$3) mode\$3 or format\$3	110000	
1 **	1036396	modess of formatss	USPAT; US-PGPUB	2003/12/01
12	2072	((345/211.ccls. or 345/698.ccls.) or	USPAT;	2003/12/01
•		(713/300.ccls. or 713/320.ccls. or 713/321.ccls.)) and (mode\$3 or format\$3	US-PGPUB	12:37
	i) .		
13	209861	(different or plurality or first) NEAR3	USPAT;	2003/12/01
14	626	(mode\$3 or format\$3) · (((345/211.ccls. or 345/698.ccls.) or	US-PGPUB USPAT;	12:53 2003/12/01
		(713/300.ccls. or 713/320.ccls. or	US-PGPUB	12:39
		713/321.ccls.)) and (mode\$3 or format\$3)) and ((different or plurality or first)		
		NEAR3 (mode\$3 or format\$3))		
15	253112	power NEAR3 (sav\$3 or consum\$3 or	USPAT;	2003/12/01
16	471	consumpt\$3 or less or low\$3) ((((345/211.ccls. or 345/698.ccls.) or	US-PGPUB USPAT;	13:35 2003/12/01
		(713/300.ccls. or 713/320.ccls. or	US-PGPUB	12:47
		713/321.ccls.)) and (mode\$3 or format\$3)) and ((different or plurality or first)		
		NEAR3 (mode\$3 or format\$3))) and (power		
		NEAR3 (sav\$3 or consum\$3 or consumpt\$3		
17	16394	or less or low\$3)) (different or plurality or first or	USPAT;	2003/12/01
1.0		multi) NEAR3 (formats)	US-PGPUB	12:54
18	11	(((((345/211.ccls. or 345/698.ccls.) or (713/300.ccls. or 713/320.ccls. or	USPAT; US-PGPUB	2003/12/01 13:27
		713/321.ccls.)) and (mode\$3 or format\$3	OJ FGFUD	
	:)) and ((different or plurality or first)	:	İ
		NEAR3 (mode\$3 or format\$3))) and (power NEAR3 (sav\$3 or consum\$3 or consumpt\$3		
		or less or low\$3))) and ((different or		
		plurality or first or multi) NEAR3 (formats))		
19	48993	348/\$.ccls.	USPAT;	2003/12/01
20	E1600	//245/2111 245/500 2 3	US-PGPUB	13:27
20	51602	((345/211.ccls. or 345/698.ccls.) or (713/300.ccls. or 713/320.ccls. or	USPAT; US-PGPUB	2003/12/01 13:27
		713/321.ccls.)) or 348/\$.ccls.	22 10101	19.21
21	553144	(detect\$3 or sens\$3 or determin\$3 or analys\$3) NEAR5 (input or incom\$3 or	USPAT;	2003/12/01
		image\$3 or data)	US-PGPUB	13:30
22	1413	345/87.ccls.	USPAT;	2003/12/01
23	370031	345/88 "89" 90.ccls.	US-PGPUB USPAT;	13:31 2003/12/01
			US-PGPUB	13:32

Search History 12/1/03 6:17:28 PM Page 1

<u> </u>					
24	3252		USPAT	2003/12/01	٦
		345/92 or 345/93 or 345/94 or 345/95 or		13:33	
i		345/96 or 345/97 or 345/98 or 345/99 or	1		
	Ì	345/100 or 345/101 or 345/102 or	•		
		345/103).ccls.	}		
25	54415		USPAT;	2003/12/01	1
ŀ		(713/300.ccls. or 713/320.ccls. or	US-PGPUB		1
		713/321.ccls.)) or 348/\$.ccls.) or	05-PGP0B	13:33	١
1		((345/88 or 345/89 or 345/90 or 345/91 or			
		1 ((345/00 of 345/09 of 345/90 of 345/91 or		1	١
		345/92 or 345/93 or 345/94 or 345/95 or		1	Į
1		345/96 or 345/97 or 345/98 or 345/99 or			
İ		345/100 or 345/101 or 345/102 or	,	İ	1
		345/103).ccls.)			١
26	26871		USPAT;	2003/12/01	١
		(713/300.ccls. or 713/320.ccls. or	US-PGPUB	13:34	
		713/321.ccls.)) or 348/\$.ccls.) or			ŀ
		((345/88 or 345/89 or 345/90 or 345/91 or			-
		345/92 or 345/93 or 345/94 or 345/95 or			1
		345/96 or 345/97 or 345/98 or 345/99 or		[1
		345/100 or 345/101 or 345/102 or			1
	1	345/103).ccls.)) and ((detect\$3 or sens\$3		i .	ı
		or determined and ((detects) or senses		,	ı
1		or determin\$3 or analys\$3) NEAR5 (input			1
27	2075	or incom\$3 or image\$3 or data))	•		1
41	3975	(((((345/211.ccls. or 345/698.ccls.) or	USPAT;	2003/12/01	١
	Í	(713/300.ccls. or 713/320.ccls. or	US-PGPUB	13:34	١
		713/321.ccls.)) or 348/\$.ccls.) or		•	ı
		((345/88 or 345/89 or 345/90 or 345/91 or			ŀ
		345/92 or 345/93 or 345/94 or 345/95 or			1
		345/96 or 345/97 or 345/98 or 345/99 or			ı
		345/100 or 345/101 or 345/102 or		· 	ı
İ		345/103).ccls.)) and ((detect\$3 or sens\$3			ı
		or determin\$3 or analys\$3) NEAR5 (input			ł
	1	or incom\$3 or image\$3 or data))) and			1
İ		or incomps of imagess or data))) and	•	1	ı
		(power NEAR3 (sav\$3 or consum\$3 or	:		ı
28	60360	consumpt\$3 or less or low\$3))		1	Į
20	69268	power NEAR3 (sav\$3 or consum\$3 or	USPAT;	2003/12/01	
	ļ	consumpt\$3 or less or low\$3) SAME	US-PGPUB	13:36	1
1	•	(format\$3 or vga or svga or speed\$3 or			ı
		mode\$1)			ı
29	1553	((((((345/211.ccls. or 345/698.ccls.) or	USPAT;	2003/12/01	ı
		(713/300.ccls. or 713/320.ccls. or	US-PGPUB	13:41	1
	,	713/321.ccls.)) or 348/\$.ccls.) or	**	1 *** * 1	1
		((345/88 or 345/89 or 345/90 or 345/91 or			
1	1	345/92 or 345/93 or 345/94 or 345/95 or	in.		
		345/96 or 345/97 or 345/98 or 345/99 or			1
]	345/100 or 345/101 or 345/102		1	1
		345/100 or 345/101 or 345/102 or		1	
1		345/103).ccls.)) and ((detect\$3 or sens\$3		l	1
-		or determin\$3 or analys\$3) NEAR5 (input		l .	
]	or incom\$3 or image\$3 or data))) and		·	
	! !	(power NEAR3 (sav\$3 or consum\$3 or			
		consumpt\$3 or less or low\$3))) and (power			
		NEAR3 (sav\$3 or consum\$3 or consumpt\$3			I
		or less or low\$3) SAME (format\$3 or vga			ı
		or svga or speed\$3 or mode\$1))		,	ŀ
30	246603	resolution\$1	USPAT;	2003/12/01	
	l		US-PGPUB		
31	1195	resolution\$1 WITH (consum\$3 or		13:41	1
] -		consumpt\$3 or sav\$3) NEAR3 power	USPAT;	2003/12/01	l
<u> </u>	·	DOLLARD OF BRAND NEARS DOWER	US-PGPUB	13:44	ı

32	43			
"	""	(resolution\$1 WITH (consum\$3 or consumpt\$3 or sav\$3) NEAR3 power) and	USPAT;	2003/12/01
		(((((((345/211.ccls. or 345/698.ccls.) or	US-PGPUB	13:42
		(713/300.ccls. or 713/320.ccls. or	İ	
ŀ		713/321.ccls.)) or 348/\$.ccls.) or	•	
		((345/88 or 345/89 or 345/90 or 345/91 or)	1	
İ		345/92 or $345/93$ or $345/94$ or $345/95$ or		
		345/96 or 345/97 or 345/98 or 345/99 or		
1		345/100 or $345/101$ or $345/102$ or	1	
		345/103).ccls.)) and ((detect\$3 or sens\$3		
1		or determin\$3 or analys\$3) NEAR5 (input	İ	
		or incom\$3 or image\$3 or data))) and (power NEAR3 (sav\$3 or consum\$3 or		
		consumpt\$3 or less or low\$3))) and (power		
		NEAR3 (sav\$3 or consum\$3 or consumpt\$3		
1		or less or low\$3) SAME (format\$3 or vga		**
1		or svga or speed\$3 or mode\$1)))		
33	1507	resolution\$1 WITH (consum\$3 or	USPAT;	2003/12/01
		consumpt\$3 or sav\$3 or less or lower)	US-PGPUB	13:45
34	112	NEAR3 power		
1,	112	((((((345/211.ccls. or 345/698.ccls.) or	USPAT;	2003/12/01
		(713/300.ccls. or 713/320.ccls. or 713/321.ccls.)) or 348/\$.ccls.) or	US-PGPUB	13:45
		((345/88 or 345/89 or 345/90 or 345/91 or		
1		345/92 or 345/93 or 345/94 or 345/95 or		1
1		345/96 or 345/97 or 345/98 or 345/99 or		1
1		345/100 or 345/101 or 345/102 or		
1		(345/103).ccls.)) and ((detects3 or sense)		1
-	,	or determin\$3 or analys\$3) NEADS (input		}
		or incom\$3 or image\$3 or data))) and (power NEAR3 (sav\$3 or consum\$3 or		i
		(power NEAR3 (sav\$3 or consum\$3 or consumpt\$3 or less or low\$3))) and		1
		(resolution\$1 WITH (consum\$3 or		1
1		consumpt\$3 or sav\$3 or less or lower)		1
35		NEAR3 power)		,
35	78	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/01
1		[(713/300.ccls. or 713/320.ccls. or	US-PGPUB	14:32
		713/321.ccls.)) or 348/\$.ccls.) or		
ŀ		((345/88 or 345/89 or 345/90 or 345/91 or		1
İ		345/92 or 345/93 or 345/94 or 345/95 or 345/96 or 345/97 or 345/98 or 345/99 or	,	
		345/100 or 345/101 or 345/102 or	•	
		345/103).ccls.)) and ((detect\$3 or sens\$3		
		or determin\$3 or analys\$3) NEAR5 (input		
	10	or incom\$3 or image\$3 or datall) and]
	}	(power NEAR3 (sav\$3 or consum\$3 or		· .
[consumpt\$3 or less or low\$3))) and		
	j	(resolution\$1 WITH (consum\$3 or		1 1
[consumpt\$3 or sav\$3 or less or lower) NEAR3 power)) and compar\$3		
36	11	("4386351" "4694348" "5136282"	HCDAM -	0000 (10 (5)
		"5172107" "5172108" "5223824"	USPAT	2003/12/01
		"5252959" "5398043" "5412397"	-	14:24
37		"5546104" "5642128"), pN		
31	9	5844534.URPN.	USPAT	2003/12/01
38	2046	(multiregelution for		14:26
	[2046	(multiresolution\$1 or (first or high\$3 or	USPAT;	2003/12/01
		low\$3 or multi) NEAR3 (vga or svga or cga or resolut\$3)) SAME (power or	US-PGPUB	14:37
		cga or resolut\$3)) SAME (power or enerag\$3) NEAR3 (consum\$3 or consumpt\$3		
		or reduc\$3 or sav\$3 or lower or less)	Ì	
		T TOWEL OF TESS)		

Search History 12/1/03 6:17:28 PM

39		226	1///245/014		
ءد ا		226		USPAT;	2003/12/01
	i		(713/300.ccls. or 713/320.ccls. or	US-PGPUB	14:37
!	!		713/321 663 8 11 - 240/2	OBFEEDB	14:37
- 1			713/321.ccls.)) or 348/\$.ccls.) or	Ì	i
-			((345/88 or 345/89 or 345/90 or 345/91 or	1	•
- 1	1		345/92 or 345/93 or 345/94 or 345/95 or		
i			245/96 245/97 245/99 01	1	
1	ŀ		345/96 or 345/97 or 345/98 or 345/99 or	İ	
١,			345/100 or 345/101 or 345/102 or		
1			345/103\ cclc \\ and //146		,
- 1			345/103).ccls.)) and ((multiresolution\$1		
]			or (first or high\$3 or low\$3 or multi)		,
1			NEAR3 (vga or svga or cga or resolut\$3))		
1			CAME (-and of page of cas of fesotifical)		
			SAME (power or enerag\$3) NEAR3		
1			(consum\$3 or consumpt\$3 or reduc\$3 or	İ	
ŀ	!		sav\$3 or lower or less))	1	
40		151	JAVVO OI TOWEL OI TESS))		
1 40		151	(((((345/211.ccls. or 345/698.ccls.) or	USPAT;	2003/12/01
	i		(713/300.ccls. or 713/320.ccls. or	US-PGPUB	15:00
			713/321.ccls.)) or 348/\$.ccls.) or	OB-FGFOD	12:00
1			/13/321.ccis.// or 340/5.ccis.) or		1
	ŀ		((345/88 or 345/89 or 345/90 or 345/91 or	1	
i	ļ		345/92 or 345/93 or 345/94 or 345/95 or		
1	1		345/96 on 345/97 on 345/99	f	
1		•	345/96 or 345/97 or 345/98 or 345/99 or	1	· ·
1	Į.		345/100 or 345/101 or 345/102 or	i	
ŀ	f		345/103).ccls.)) and ((multiresolution\$1		1
1			on /fingt on highest		
1 .	į		or (first or high\$3 or low\$3 or multi)		
1			NEAR3 (vga or svga or cga or resolut\$3))		
1			SAME (power or enerag\$3) NEAR3]
1			/congume2 on	•	1
i	1		(consum\$3 or consumpt\$3 or reduc\$3 or		
1	1		sav\$3 or lower or less))) not		1
1			(((((((345/211.ccls. or 345/698.ccls.) or		1
1			(712/200) 711.0018. or 345/698.0018.) or	1	
			(713/300.ccls. or 713/320.ccls. or		
1	-		713/321.ccls.)) or 348/\$.ccls.) or		
	1		//3/5/99 on 3/5/90 on 3/5/00		
			((345/88 or 345/89 or 345/90 or 345/91 or	!	
!	- 1		345/92 or 345/93 or 345/94 or 345/95 or	Ì	
1		*- *	345/96 or 345/97 or 345/98 or 345/99 or		
i	ŀ		1 0 10 / 30 OF 343 / 31 OF 343 / 39 OF		
			345/100 or 345/101 or 345/102 or		1
	- 1		345/103).ccls.)) and ((detect\$3 or sens\$3		
				ĺ	!
1			or determin\$3 or analys\$3) NEAR5 (input	-	i l
f	ſ		or incom\$3 or image\$3 or data))) and	1	1
			(power NEAR3 (sav\$3 or consum\$3 or		
1			consumpt\$3 or less or low\$3))) and		
	1		consumpts of less of lowss))) and		
1	i		(resolution\$1 WITH (consum\$3 or		1
			consumpt\$3 or sav\$3 or less or lower)		i :
1			NEAR3 power))		l i
112					
41	- 1	31	345/698.ccls. and (power or energy\$3)	USPAT;	2003/12/01
1			NEAR5 (reduc\$3 or consum\$3 or consumpt\$3		
	!		on the constitution of constitution of constitutions	US-PGPUB	15:15
		_	or sav\$3 or lower or less)		!
42		1	5844534.pn. and (power or energy\$3)	USPAT:	2002/12/01
1	- 1		NEAR5 (reduc\$3 or consum\$3 or consumpt\$3		2003/12/01
1	- [or correct or consumpts3	US-PGPUB	15:37
1 4.5	-		or sav\$3 or lower or less)		1
43	- 1	1	6124850.pn. and (power or energy\$3)	USPAT;	2003/12/01
			NEAR5 (reduc\$3 or consum\$3 or consumpt\$3		
1			(reduces of consumpts)	US-PGPUB	16:44
1	·		or sav\$3 or lower or less)		
44		3	Cairns-\$.in. and 345/87.ccls.	US-PGPUB	2003/12/01
1				OD-LGEOD	2003/12/01
45		,	5053074		16:43
133		1	5953074.pn. and (power or energy\$3)	USPAT;	2003/12/01
	- 1	1	NEAR5 (reduc\$3 or consum\$3 or consumpt\$3	US-PGPUB	
1	ļ	1	or sav\$3 or lower or less)	03-1650R	16:52
100	1	<u> </u>	OF PROAD OF TOMEL OL 1622)		l I
46	9:	0	64441829.pn. and (power or energy\$3)	USPAT;	2003/12/01
1	1		NEAR5 (reduc\$3 or consum\$3 or consumpt\$3	·	
			Or sories or companies of consumpted	US-PGPUB	16:53
1 47	į		or sav\$3 or lower or less)		
47	1	1	6441829.pn. and (power or energy\$3)	USPAT;	2003/12/01
1		Ĭ.	NEAR5 (reduc\$3 or consum\$3 or consumpt\$3		
]		on gard? or locationings of consumpts3	US-PGPUB	16:56
1 4 2	- 1	ł	or sav\$3 or lower or less)	,	
48	- 1	1	5990982.pnpn. and (power or energy\$3)	USPAT;	2003/12/01
			NEARS (reduces or communes of energy sty		
1			NEAR5 (reduc\$3 or consum\$3 or consumpt\$3	US-PGPUB	17:12
1	- 1	1	or sav\$3 or lower or less)		
49		1	6181317.pnpn. and (power or energy\$3)	HCDAM.	2002/12/22
		-	MEADE (made and (power or energys)	USPAT;	2003/12/01
1			NEAR5 (reduc\$3 or consum\$3 or consumpt\$3	US-PGPUB	17:19
	ļ		or sav\$3 or lower or less)	· -	1
50	ļ	402	345/211.ccls. and (power or energy\$3)	Henne	0000/10/5
			MEADS ("-1-10 and (power or energy\$3)	USPAT;	2003/12/01
1		.	NEAR5 (reduc\$3 or consum\$3 or consumpt\$3	US-PGPUB	17:35
	i		or sav\$3 or lower or less)		
<u> </u>	!				

L E I				
51	943544	multi-format\$3 or mode\$1 or	USPAT	2003/12/01
	· ·	multi-resolution\$1 or multiformat\$1 or		17:36
1	i	multiresolution\$1		
53	1	resolution\$1 and 5844534.pn.	USPAT	2003/12/01
				17:39
52	162	(345/211.ccls. and (power or energy\$3)	USPAT	2003/12/01
		NEAR5 (reduc\$3 or consum\$3 or consumpt\$3		17:57
		or sav\$3 or lower or less)) and		1-1107
<u> </u>		(multi-format\$3 or mode\$1 or		
		multi-resolution\$1 or multiformat\$1 or		
		multiresolution\$1)		
54	4	("4820023" "5034734" "5335168"	USPAT	2003/12/01
	1	"5374941").PN.	USFAI	17:49
55	1 5	5828367.URPN.	USPAT	2003/12/01
	_		USFAI	17:50
56	13	5745092.URPN.	USPAT	
			USPAI	2003/12/01
57	6470	resolution\$1 or vga or svga or cga or	HEDAM.	17:53
~ ·	,	xvga or size) WITH power NEAR5	USPAT;	2003/12/01
1		(consum\$3 or consumpt\$3 or sav\$3 or less	US-PGPUB; EPO; JPO;	18:05
		or lower or reduc\$3) and (display or lcd)	DERWENT;	
		or lower of reddeed, and (display of Icd)		·
58	1967	(resolution\$1 or vga or svga or cga or	IBM_TDB	2002/10/01
	150,	xvga or size) WITH power NEAR5	USPAT; US-PGPUB;	2003/12/01
		(consum\$3 or consumpt\$3 or sav\$3 or less	,	18:03
		or lower or reduc\$3) SAME (display or	EPO;	
	1	lcd)	IBM_TDB	
59	109789	(345/\$ or 348/\$ or 713/\$).ccls.	USPAT;	2002/12/01
		(510/4 01 540/4 01 /15/4/.0015.	US-PGPUB;	2003/12/01
			EPO;	18:03
1			IBM TDB	
60	683	((resolution\$1 or vga or svga or cga or	USPAT;	2003/12/01
		xvga or size) WITH power NEAR5	US-PGPUB;	18:03
		(consum\$3 or consumpt\$3 or sav\$3 or less	EPO;	10:03
		or lower or reduc\$3) SAME (display or	IBM TDB	
		1cd)) and ((345/\$ or 348/\$ or	1 100 - 100	1
'		713/\$).ccls.)		1
61	1336	(resolution\$1 or vga or svga or cga or	USPAT;	2003/12/01
'		xvga) WITH power NEAR5 (consum\$3 or	US-PGPUB;	18:05
		consumpt\$3 or sav\$3 or less or lower or	EPO; JPO;	10.00
	1	reduc\$3) and (display or lcd)	DERWENT;	
		· · · · · · · · · · · · · · · · · · ·	IBM TDB	
62	222	((resolution\$1 or vga or svga or cga or	USPAT;	2003/12/01
		xvga) WITH power NEAR5 (consum\$3 or	US-PGPUB;	18:05
	į i	consumpt\$3 or sav\$3 or less or lower or	EPO; JPO;	1 - 3 - 3 - 3
		reduc\$3) and (display or lcd)) and	DERWENT;	
		(((resolution\$1 or vga or svga or cga or	IBM TDB	
		xvga or size) WITH power NEAR5		
		(consum\$3 or consumpt\$3 or sav\$3 or less		
		or lower or reduc\$3) SAME (display or		
		1cd)) and ((345/\$ or 348/\$ or		
		713/\$).ccls.))		